

Sample Name:						
Sample Depth (Feet):						
Aquifer Zone:						
Date Collected:	Units	GCTLs	12/12/11			
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 UJ	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 UJ
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromofom	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 UJ	1.00 U	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 UJ	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.95 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 UJ	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.

quantitation limit.

concentration only.

laboratory method detection limit .

5. USAS - Upper Suo 1 0 wCia8.000 Tw .03 Tc (2.50Aystem.28 120.24 Tm -0.03 T13(ug/L) Tj 1 sl76 USAS6- Up 1 0 - Groundwat3 Clean-u3(ug/L) T 1 155.28 140.16 Tm 1.32 0 Tulylbenzene) Tj 1

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-35 (Off-Facility)			
Sample Depth (Feet):			25 - 30			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/09/11	06/08/11	09/01/11	12/13/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.60 I	1.10 I	1.40 I	1.30 I
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.30	1.20	0.92 I	1.50
1,1-Dichloroethene	ug/L	7	3.40	3.20	2.70	3.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	10	7.70 J	14.00 J	15.00
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	6.30	6.60	5.90	6.70
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:	MW-40 (On-Facility)					
Sample Depth (Feet):	23 - 28					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	03/11/11	06/07/11	08/31/11	12/15/11
Volatiles Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	17	24 J	10	10
Volatiles Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	5.90	4.40	3.20	3.40
1,1-Dichloroethene	ug/L	7	6.20	3.00	2.30	2.70
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 UJ	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	3.50	2.50	2.60	2.30
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 UJ	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethane	ug/L	3	100	67 J	55 J	60 J
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Trichloroethene	ug/L	3	160 D	130 D	110	140
Trichlorofluoromethane	ug/L	2,100	2.50 UJ	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.62 J	0.60 I	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-47 (Off-Facility)			
Sample Depth (Feet):			22 - 27			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/08/11	06/03/11	08/24/11	12/12/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	17	21	39	26
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.20	1.30	2.20	1.80
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Summary of Groundwater Analytical Results - USAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			MW-63 (Off-Facility)			
Sample Depth (Feet):			25 - 30			
Aquifer Zone:			USAS			
Date Collected:	Units	GCTLs	03/08/11	06/02/11	08/30/11	12/13/11
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	2.10	3.40	4.70	1.70 I
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 UJ	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.85 I	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/08/11

1,4-Dioxane	ug/L	3.2	13	15	5.10	12
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.20	1.40	0.59	

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/07/11

1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00
-------------	------	-----	--------	--------	------

Summary of Groundwater Analytical Results - USAS Wells
Interim Remedial Action System
Lockheed Martin, Tallevast Site
Tallevast, Florida

Sample Name:	MW-72 (On-Facility)					
Sample Depth (Feet):	23.5 - 28.5					
Aquifer Zone:	USAS					
Date Collected:	Units	GCTLs	06/08/11	12/14/11		
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.62 U	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.90 U	0.66 U	0.66 U	8.80
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

- D - Concentration is based on a diluted sample analysis.
- quantitation limit.
- J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
- U - Indicates that a compound was analyzed for but not detected. The value associated with the edi7orida laboratory method detection limit.
- USAS - Upper Surficial Aquifer System.
- GCTLs- Groundwater Clean-up Target Levels.
- Results are based on validated analytical reports from the laboratory.
- Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected:

	Units	GCTLs				12/13/11
1,4-Dioxane	ug/L	3.2	29	39	52	22
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	8.20	6.80	4.40	4.50
1,1-Dichloroethene	ug/L	7	3.20	2.50	1.80	2.00
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 UJ
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.

quantitation limit.

concentration only.

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected:

Units GCTLs

12/08/11

1,4-Dioxane	ug/L	3.2	10	15	7.90	8.90
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.97 I	0.96 I	1.00	0.95 I
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.50 U	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.

quantitation limit.

concentration only.

Summary of Groundwater Analytical Results - USAS Wells
Interim Remedial Action System
Lockheed Martin, Tallevast Site
Tallevast, Florida

Sample Name:	Units	GCTLs	MW-254 (MW-BT-1) (On-Facility)			
			03/10/11	06/08/11	09/01/11	12/09/11
Sample Depth (Feet):			24 - 29			
Aquifer Zone:			USAS			
Date Collected:						
Volatile Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	1.30 U	1.30 U	1.30 U	1.30 U
1,1,1-Trichloroethane	ug/L	200	0.92 U	0.92 U	0.92 U	0.92 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.30 U	0.30 U	0.30 U	0.30 U
1,1,2-Trichloroethane	ug/L	5	0.94 U	0.94 U	0.94 U	0.94 U
1,1-Dichloroethane	ug/L	70	1.00 U	1.00 U	1.00 U	1.00 U
1,1-Dichloroethene	ug/L	7	1.10 I	0.90 U	0.90 U	0.90 U
1,1-Dichloropropene	ug/L	--	0.62 U	0.62 U	0.62 U	0.62 U
1,2,3-Trichlorobenzene	ug/L	70	1.50 U	1.50 U	1.50 U	1.50 U
1,2,3-Trichloropropane	ug/L	0.02	0.36 U	0.36 U	0.36 U	0.36 U
1,2,4-Trichlorobenzene	ug/L	70	1.20 U	1.20 U	1.20 U	1.20 U
1,2,4-Trimethylbenzene	ug/L	10	1.70 U	1.70 U	1.70 U	1.70 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	5.00 U	5.00 U	5.00 U	5.00 U
1,2-Dibromoethane	ug/L	0.02	1.00 U	1.00 U	1.00 U	1.00 U
1,2-Dichlorobenzene	ug/L	600	0.88 U	0.88 U	0.88 U	0.88 U
1,2-Dichloroethane	ug/L	3	1.10 U	1.10 U	1.10 U	1.10 U
1,2-Dichloropropane	ug/L	5	1.00 U	1.00 U	1.00 U	1.00 U
1,3,5-Trimethylbenzene	ug/L	10	1.10 U	1.10 U	1.10 U	1.10 U
1,3-Dichlorobenzene	ug/L	210	1.30 U	1.30 U	1.30 U	1.30 U
1,3-Dichloropropane	ug/L	--	0.78 U	0.78 U	0.78 U	0.78 U
1,4-Dichlorobenzene	ug/L	75	1.00 U	1.00 U	1.00 U	1.00 U
2,2-Dichloropropane	ug/L	--	0.72 U	0.72 U	0.72 U	0.72 U
2-Butanone	ug/L	4,200	17 U	17 U	17.00 U	17 U
2-Chlorotoluene	ug/L	140	1.30 U	1.30 U	1.30 U	1.30 U
2-Hexanone	ug/L	280	8.80 U	8.80 U	8.80 U	8.80 U
4-Chlorotoluene	ug/L	140	1.00 U	1.00 U	1.00 U	1.00 U
4-Isopropyl Toluene	ug/L	--	1.40 U	1.40 U	1.40 U	1.40 U
4-Methyl-2-Pentanone	ug/L	560	7.60 U	7.60 U	7.60 U	7.60 U
Acetone	ug/L	6,300	20 U	20 U	20.00 U	20 U
Benzene	ug/L	1	1.00 U	1.00 U	1.00 U	1.00 U
Bromobenzene	ug/L	--	1.20 U	1.20 U	1.20 U	1.20 U
Bromochloromethane	ug/L	91	1.20 U	1.20 U	1.20 U	1.20 U
Bromodichloromethane	ug/L	0.6	0.70 U	0.70 U	0.70 U	0.70 U
Bromoform	ug/L	4.4	1.20 U	1.20 U	1.20 U	1.20 U
Bromomethane	ug/L	9.8	5.00 U	5.00 U	5.00 U	5.00 U
	ug/L	700	2.00 U	2.00 U	2.00 U	2.00 U
	ug/L	3	0.84 U	0.84 U	0.84 U	0.84 U
	ug/L	100	1.30 U	1.30 U	1.30 U	1.30 U
	ug/L	12	5.00 U	5.00 U	5.00 U	5.00 U
	ug/L	70	1.80 U	1.80 U	1.80 U	1.80 U
	ug/L	2.7	2.00 U	2.00 U	2.00 U	2.00 U
	ug/L	70	1.30 U	1.30 U	1.30 U	6.40
	ug/L	--	0.28 U	0.28 U	0.28 U	0.28 U
	ug/L	0.4	0.68 U	0.68 U	0.68 U	0.68 U
	ug/L	70	0.82 U	0.82 U	0.82 U	0.82 U
Dichlorodifluoromethane	ug/L	1,400	5.00 U	5.00 U	5.00 U	5.00 U
Ethylbenzene	ug/L	30	0.88 U	0.88 U	0.88 U	0.88 U
Hexachlorobutadiene	ug/L	0.4	0.80 U	0.80 U	0.80 U	0.80 U
Isopropyl Benzene	ug/L	0.8	0.38 U	0.38 U	0.38 U	0.38 U
Methyl Tert Butyl Ether	ug/L	20	0.88 U	0.88 U	0.88 U	0.88 U
Methylene Chloride	ug/L	5	8.00 U	8.00 U	8.00 U	8.00 U
m-Xylene & p-Xylene	ug/L	20	1.20 U	1.20 U	1.20 U	1.20 U
Naphthalene	ug/L	14	5.00 U	5.00 U	5.00 U	5.00 U
n-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	1.30 U
n-Propylbenzene	ug/L	--	1.20 U	1.20 U	1.20 U	1.20 U
O-Xylene	ug/L	20	1.00 U	1.00 U	1.00 U	1.00 U
sec-Butylbenzene	ug/L	--	1.30 U	1.30 U	1.30 U	1.30 U
Styrene	ug/L	100	2.00 U	2.00 U	2.00 U	2.00 U
tert-Butylbenzene	ug/L	--	1.70 U	1.70 U	1.70 U	1.70 U
Tetrachloroethene	ug/L	3	2,100 D	1,100 DJ	410 DJ	290
Toluene	ug/L	40	2.00 U	2.00 U	2.00 U	2.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.88 U	0.88 U	0.88 U	0.88 U
Trans-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.28 U
Trichloroethene	ug/L	3	60	71	29	9.30
Trichlorofluoromethane	ug/L	2,100	5.00 U	5.00 U	5.00 U	5.00 U
Vinyl Chloride	ug/L	1	1.00 U	1.00 U	1.00 U	1.00 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. USAS - Upper Surficial Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels.
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Sample Name:

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected:

		Units GCTLs					12/13/11
1,4-Dioxane	ug/L	3.2	100	220	170	360	J
1,1,1,2-Tetrachloroethane	ug/L	1.3	1.30 U	1.30 U	1.30 U	3.20 U	
1,1,1-Trichloroethane	ug/L	200	0.92 U	0.92 U	0.92 U	2.30 U	
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.30 U	0.30 U	0.30 U	0.75 U	
1,1,2-Trichloroethane	ug/L	5	0.94 U	0.94 U	0.94 U	2.40 U	
1,1-Dichloroethane	ug/L	70	11	13	18	18	
1,1-Dichloroethene	ug/L	7	29	41	100	89	
1,1-Dichloropropene	ug/L	--	0.62 U	0.62 U	0.62 U	1.60 U	
1,2,3-Trichlorobenzene	ug/L	70	1.50 U	1.50 U	1.50 U	3.90 U	
1,2,3-Trichloropropane	ug/L	0.02	0.36 U	0.36 U	0.36 U	0.90 U	
1,2,4-Trichlorobenzene	ug/L	70	1.20 U	1.20 UJ	1.20 U	2.90 U	
1,2,4-Trimethylbenzene	ug/L	10	1.70 U	1.70 UJ	1.70 U	4.30 U	
1,2-Dibromo-3-Chloropropane	ug/L	0.2	5.00 U	5.00 U	5.00 U	13 U	
1,2-Dibromoethane	ug/L	0.02	1.00 U	1.00 U	1.00 U	2.50 U	
1,2-Dichlorobenzene	ug/L	600	0.88 U	0.88 U	0.88 U	2.20 U	
1,2-Dichloroethane	ug/L	3	1.10 U	1.10 U	1.10 U	2.90 U	
1,2-Dichloropropane	ug/L	5	1.00 U	1.00 U	1.00 U	2.60 U	
1,3,5-Trimethylbenzene	ug/L	10	1.10 U	1.10 U	1.10 U	2.70 U	
1,3-Dichlorobenzene	ug/L	210	1.30 U	1.30 UJ	1.30 U	3.20 U	
1,3-Dichloropropane	ug/L	--	0.78 U	0.78 U	0.78 U	2.00 U	
1,4-Dichlorobenzene	ug/L	75	1.00 U	1.00 U	1.00 U	2.60 U	
2,2-Dichloropropane	ug/L	--	0.72 U	0.72 U	0.72 U	1.80 U	
2-Butanone	ug/L	4,200	17 U	17 U	17 U	42 U	
2-Chlorotoluene	ug/L	140	1.30 U	1.30 U	1.30 U	3.30 U	
2-Hexanone	ug/L	280	8.80 U	8.80 U	8.80 U	22 U	
4-Chlorotoluene	ug/L	140	1.00 U	1.00 U	1.00 U	2.60 U	
4-Isopropyl Toluene	ug/L	--	1.40 U	1.40 UJ	1.40 U	3.50 U	
4-Methyl-2-Pentanone	ug/L	560	7.60 U	7.60 U	7.60 U	19 U	
Acetone	ug/L	6,300	20 U	20 U	20 U	50 U	
Benzene	ug/L	1	1.00 U	1.00 U	1.00 U	2.50 U	
Bromobenzene	ug/L	--	1.20 U	1.20 U	1.20 U	2.90 U	
Bromochloromethane	ug/L	91	1.20 U	1.20 U	1.20 U	2.90 U	
Bromodichloromethane	ug/L	0.6	0.70 U	0.70 U	0.70 U	1.80 U	
Bromoform	ug/L	4.4	1.20 U	1.20 U	1.20 U	2.90 U	
Bromomethane	ug/L	9.8	5.00 U	5.00 UJ	5.00 U	13 UJ	
Carbon Disulfide	ug/L	700	2.00 U	2.00 U	2.00 U	5.00 U	
Carbon Tetrachloride	ug/L	3	0.84 U	0.84 U	0.84 U	2.10 U	
Chlorobenzene	ug/L	100	1.30 U	1.30 U	1.30 U	3.20 U	
Chloroethane	ug/L	12	5.00 U	5.00 UJ	5.00 U	13 U	
Chloroform	ug/L	70	1.80 U	1.80 U	1.80 U	4.50 U	
Chloromethane	ug/L	2.7	2.00 U	2.00 U	2.00 U	5.00 UJ	
cis-1,2-Dichloroethene	ug/L	70	110	44	270	160	
cis-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.70 U	
Dibromochloromethane	ug/L	0.4	0.68 U	0.68 U	0.68 U	1.70 U	
Dibromomethane	ug/L	70	0.82 U	0.82 U	0.82 U	2.10 U	
Dichlorodifluoromethane	ug/L	1,400	5.00 U	5.00 U	5.00 UJ	13 U	
Ethylbenzene	ug/L	30	0.88 U	0.88 U	0.88 U	2.20 U	
Hexachlorobutadiene	ug/L	0.4	0.80 U	0.80 U	0.80 U	2.00 U	
Isopropyl Benzene	ug/L	0.8	0.38 U	0.38 U	0.38 U	0.95 U	
Methyl Tert Butyl Ether	ug/L	20	0.88 U	0.88 U	0.88 U	2.20 U	
Methylene Chloride	ug/L	5	8.00 U	8.00 U	8.00 U	20 U	
m-Xylene & p-Xylene	ug/L	20	1.20 U	1.20 UJ	1.20 U	3.00 U	
Naphthalene	ug/L	14	5.00 U	5.00 U	5.00 U	13 U	
n-Butylbenzene	ug/L	--	1.30 U	1.30 UJ	1.30 U	3.40 U	
n-Propylbenzene	ug/L	--	1.20 U	1.20 U	1.20 U	3.00 U	
O-Xylene	ug/L	20	1.00 U	1.00 UJ	1.00 U	2.50 U	
sec-Butylbenzene	ug/L	--	1.30 U	1.30 UJ	1.30 U	3.20 U	
Styrene	ug/L	100	2.00 U	2.00 UJ	2.00 U	4.90 U	
tert-Butylbenzene	ug/L	--	1.70 U	1.70 UJ	1.70 U	4.20 U	
Tetrachloroethene	ug/L	3	3.20	1.00 UJ	3.40 J	2.60 J	
Toluene	ug/L	40	2.00 U	2.00 U	2.00 U	2.60 U	
Trans-1,2-Dichloroethene	ug/L	100	1.40 I	0.88 U	0.88 U	2.20 U	
Trans-1,3-Dichloropropene	ug/L	--	0.28 U	0.28 U	0.28 U	0.70 U	
Trichloroethene	ug/L	3	1,800 D	400 D	5,400 D	3,600 D	
Trichlorofluoromethane	ug/L	2,100	5.00 U	5.00 U	5.00 U	13.00 U	
Vinyl Chloride	ug/L	1	1.00 U	1.00 U	20	2.80 I	

Notes:

Sample Name:
Sample Depth (Feet):
Aquifer Zone:

Date Collected:	Units	GCTLs						12/08/11
1,4-Dioxane	ug/L	3.2	460	460	510	500	480	
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U	
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	
1,1-Dichloroethane	ug/L	70	5.00	4.30	22	25	28	
1,1-Dichloroethene	ug/L	7236 Tm (28) ane						

Sample Name:						
Sample Depth (Feet):						
Aquifer Zone:						
Date Collected:	Units	GCTLs	12/15/11			
1,4-Dioxane	ug/L	3.2	320	310	270	310
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	15	13	13	11
1,1-Dichloroethene	ug/L	7	46	56	33	35
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 UJ	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	13	11	11	16
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 UJ	0.63 U
Styrene	ug/L	100	0.98	0.98	0.98	0.98

U

U

[Redacted]

[Redacted]

Summary of Groundwater Analytical Results - LSAS Wells
Interim Remedial Action System
Lockheed Martin, Tallevast Site
Tallevast, Florida

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

	Units	GCTLs		06/08/11		12/14/11
1,4-Dioxane	ug/L	3.2	10	8.20	11	13
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 UJ
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.70	2.90	2.80	3.00
1,1-Dichloroethene	ug/L	7	59	42	49	50
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 UJ
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 UJ
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 UJ	1.00 UJ
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 UJ
Chlorobenzene	ug/L	100	2.30	1.70	0.63 U	2.00
Chloroethane	ug/L	12	2.50 UJ	2.50 UJ	2.50 UJ	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	2.80	2.80	2.70	2.70
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 UJ
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 UJ
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 U
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	3.00	1.10 J	2.00 J	1.10
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	0.51 U
Trans-1,2-Dichloroethene	ug/L	100	0.73 I	0.57 I	0.44 U	1.10
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 UJ
Trichloroethene	ug/L	3	5.70	5.10	5.00	4.60
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 UJ	2.50 U
Vinyl Chloride	ug/L	1	0.50 U	0.50 U	0.87 I	0.50 U

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. LSAS - Lower Shallow Aquifer System.
6. GCTLs - Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected:

Units GCTLs

12/07/11

1,4-Dioxane	ug/L	3.2	88	170	170	190	110
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	7	0.28 U	0.13 U	0.14 U	0.15 U	0.18 U
1,1,1,1-Tetrachloroethane	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 U	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 U	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
cis-1,2-Dichloroethene	ug/L	70	0.73 U	0.19 U	0.150 U	0.170 U	0.33 U
cis-1,3-Dichloropropene	ug/L	136.00	237.96 U	10.00	12.00	11.85	11.55
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene							

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected: **Units**

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/07/11

1,4-Dioxane	ug/L	3.2	92	110	110	84
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.50	3.00	2.90	3.00
1,1-Dichloroethene	ug/L	7	3.40	3.10	3.60	3.40
1,1-Dichloropropene	ug/L	-	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 U	0.58	

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/13/11

1,4-Dioxane	ug/L	3.2	480	420	320	550	470	540
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	130	96	91	120	110	110
1,1-Dichloroethene	ug/L	7						

Summary of Groundwater Analytical Results - IAS Wells						
Interim Remedial Action System						
Lockheed Martin, Tallevast Site						
Tallevast, Florida						
Sample Name:			IWI-204-Facility)			
Sample Depth (Feet):			162 - 172			
Aquifer Zone:			Clay/Sand Zone 3 & 4			
Date Collected:	Units	GCTLs	03/10/11	06/06/11	08/30/11	12/12/11
Volatiles Organics (8260C) - SIM Isotope Dilution						
1,4-Dioxane	ug/L	3.2	61	52	70	52
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 UJ	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	3.60	2.40	3.40	3.50
1,1-Dichloroethene	ug/L	7	6.80	2.50	13	6.40
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromofom	ug/L	4.4	0.58 U	0.58 U	0.58 UJ	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	25	8.00	38	22
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 U	2.50 UJ	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 U	2.50 U	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	10	5.00	23	11
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	8.60	15	17	13

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
3. J - The compound was positively identified; however, the associated numerical value is an estimated concentration only.
4. U - Indicates that a compound was analyzed for but not detected. The value associated with the qualifier is the laboratory method detection limit.
5. IAS - Intermediate Aquifer System.
6. GCTLs- Groundwater Clean-up Target Levels
7. Results are based on validated analytical reports from the laboratory.
8. Results are presented in micrograms per liter (ug/L).
9. Bolded values indicate results greater than GCTLs. We acknowledge that Florida Department of Environmental Protection (FDEP) policy regarding rounding and significant figures could result in certain laboratory reported values shown in bold to not be considered GCTL exceedances by the FDEP.



Sample Name:						
Sample Depth (Feet):						
Aquifer Zone:						
Date Collected:	Units	GCTLs				12/13/11
1,4-Dioxane	ug/L	3.2	3.10	3.60	3.90	3.10
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 U	2.50 UJ	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 UJ
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 UJ	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U
m-						

Sample Name:
Sample Depth (Feet):
Aquifer Zone:
Date Collected:

	Units	GCTLs					12/08/11
1,4-Dioxane	ug/L	3.2	90	63	57	77	37
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	89 J	49	46	46	36
1,1-Dichloroethene	ug/L	7	1.40	0.58 I	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 UJ	2.50 UJ	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 UJ	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 U	8.40 U	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 U	2.50 U	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U	0.63 U
Chloroethane	ug/L	12	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Chloroform	ug/L	70	0.90 U	0.90 U	0.90 U	0.90 U	0.90 U
Chloromethane	ug/L	2.7	1.00 U	1.00 U	1.00 U	1.00 U	1.00 UJ
cis-1,2-Dichloroethene	ug/L	70	0.65 U	0.65 U	0.65 U	0.65 U	0.65 U
cis-1,3-Dichloropropene	ug/L	--	0.14 U	0.14 UJ	0.14 U	0.14 U	0.14 U
Dibromochloromethane	ug/L	0.4	0.34 U	0.34 UJ	0.34 U	0.34 U	0.34 U
Dibromomethane	ug/L	70	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U
Dichlorodifluoromethane	ug/L	1,400	2.50 U	2.50 UJ	2.50 U	2.50 U	2.50 U
Ethylbenzene	ug/L	30	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U
Hexachlorobutadiene	ug/L	0.4	0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Isopropyl Benzene	ug/L	0.8	0.19 U	0.19 UJ	0.19 U	0.19 U	0.19 U
Methyl Tert Butyl Ether	ug/L	20	0.44 U	0.44 UJ	0.44 U	0.44 U	0.44 U
Methylene Chloride	ug/L	5	4.00 U	4.00 U	4.00 U	4.00 U	4.00 U
m-Xylene & p-Xylene	ug/L	20	0.60 U	0.60 UJ	0.60 U	0.60 U	0.60 U
Naphthalene	ug/L	14	2.50 U	2.50 UJ	2.50 UJ	2.50 UJ	2.50 UJ
n-Butylbenzene	ug/L	--	0.67 U	0.67 UJ	0.67 U	0.67 U	0.67 U
n-Propylbenzene	ug/L	--	0.59 U	0.59 U	0.59 U	0.59 U	0.59 U
O-Xylene	ug/L	20	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
sec-Butylbenzene	ug/L	--	0.63 U	0.63 UJ	0.63 U	0.63 U	0.63 U
Styrene	ug/L	100	0.98 U	0.98 UJ	0.98 U	0.98 U	0.98 U
tert-Butylbenzene	ug/L	--	0.84 U	0.84 UJ	0.84 U	0.84 U	0.84 U
Tetrachloroethene	ug/L	3	0.50 U	0.50 UJ	0.50 U	0.50 U	0.50 U
Toluene	ug/L	40	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
Trans-1,2-Dichloroethene	ug/L	100	0.44 U	0.44 U	0.44 U	0.44 U	0.44 UJ
Trans-1,3-Dichloropropene	ug/L	--	0.14 UJ	0.14 UJ	0.14 U	0.14 U	0.14 U
Trichloroethene	ug/L	3	0.50 U	0.50 U	0.55 I	0.88 I	0.50 U
Trichlorofluoromethane	ug/L	2,100	2.50 U	2.50 U	2.50 U	2.50 U	2.50 U
Vinyl Chloride	ug/L	1	48	19	19	21	17

Notes:

1. D - Concentration is based on a diluted sample analysis.
2. I - The reported value is between the laboratory method detection limit and the laboratory practical ed on a diluted sample UJ2

Sample Name:						
Sample Depth (Feet):						
Aquifer Zone:						
Date Collected:	Units	GCTLs				12/09/11
1,4-Dioxane	ug/L	3.2	1.00 U	1.00 U	1.00 U	1.00 U
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	0.52 U	0.52 U	0.52 U	0.52 U
1,1-Dichloroethene	ug/L	7	0.45 U	0.45 U	0.45 U	0.45 U
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 UJ	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U	0.69 UJ	0.69 U	0.69 U
4-Methyl-2-Pentanone	ug/L	560	3.80 U	3.80 U	3.80 U	3.80 U
Acetone	ug/L	6,300	9.90 U	9.90 U	9.90 U	9.90 U
Benzene	ug/L	1	0.50 U	0.50 U	0.50 U	0.50 U
Bromobenzene	ug/L	--	0.58 U	0.58 U	0.58 U	0.58 U
Bromochloromethane	ug/L	91	0.58 U	0.58 U	0.58 U	0.58 U
Bromodichloromethane	ug/L	0.6	0.35 U	0.35 U	0.35 U	0.35 U
Bromoform	ug/L	4.4	0.58 U	0.58 U	0.58 U	0.58 U
Bromomethane	ug/L	9.8	2.50 U	2.50 UJ	2.50 UJ	2.50 U
Carbon Disulfide	ug/L	700	1.00 U	1.00 U	1.00 UJ	1.00 U
Carbon Tetrachloride	ug/L	3	0.42 U	0.42 U	0.42 U	0.42 U
Chlorobenzene	ug/L	100	0.63 U	0.63 U	0.63 U	0.63 U

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:	Units	GCTLs		05/26/11	08/25/11	12/09/11	
1,4-Dioxane	ug/L	3.2	390	350	410	290	360
1,1,1,2-Tetrachloroethane	ug/L	1.3	6.30 U	6.30 U	6.30		

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/09/11

	ug/L	3.2	74	99	98	130
1,4-Dioxane	ug/L	3.2	74	99	98	130
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	11	11	11	11
1,1-Dichloroethene	ug/L	7	27	32	46	31
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U
1,2,4-Trichlorobenzene	ug/L	70	0.58 U	0.58 UJ	0.58 U	0.58 UJ
1,2,4-Trimethylbenzene	ug/L	10	0.86 U	0.86 UJ	0.86 U	0.86 U
1,2-Dibromo-3-Chloropropane	ug/L	0.2	2.50 UJ	2.50 U	2.50 U	2.50 U
1,2-Dibromoethane	ug/L	0.02	0.50 U	0.50 U	0.50 U	0.50 U
1,2-Dichlorobenzene	ug/L	600	0.44 U	0.44 U	0.44 U	0.44 U
1,2-Dichloroethane	ug/L	3	0.57 U	0.57 U	0.57 U	0.57 U
1,2-Dichloropropane	ug/L	5	0.52 U	0.52 U	0.52 U	0.52 U
1,3,5-Trimethylbenzene	ug/L	10	0.54 U	0.54 U	0.54 U	0.54 U
1,3-Dichlorobenzene	ug/L	210	0.64 U	0.64 UJ	0.64 U	0.64 U
1,3-Dichloropropane	ug/L	--	0.39 U	0.39 U	0.39 U	0.39 U
1,4-Dichlorobenzene	ug/L	75	0.52 U	0.52 U	0.52 U	0.52 U
2,2-Dichloropropane	ug/L	--	0.36 U	0.36 U	0.36 U	0.36 U
2-Butanone	ug/L	4,200	8.40 U	8.40 U	8.40 UJ	8.40 U
2-Chlorotoluene	ug/L	140	0.65 U	0.65 U	0.65 U	0.65 U
2-Hexanone	ug/L	280	4.40 U	4.40 U	4.40 U	4.40 U
4-Chlorotoluene	ug/L	140	0.52 U	0.52 U	0.52 U	0.52 U
4-Isopropyl Toluene	ug/L	--	0.69 U			

Sample Name:
Sample Depth (Feet):

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/07/11

Volatile Organics (8260C) - SIM Isotope Dilution

1,4-Dioxane	ug/L	3.2	30	44	53	37
Volatile Organics (8260B)						
1,1,1,2-Tetrachloroethane	ug/L	1.3	0.63 U	0.63 U	0.63 U	0.63 U
1,1,1-Trichloroethane	ug/L	200	0.46 U	0.46 U	0.46 U	0.46 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	0.15 U	0.15 U	0.15 U	0.15 U
1,1,2-Trichloroethane	ug/L	5	0.47 U	0.47 U	0.47 U	0.47 U
1,1-Dichloroethane	ug/L	70	1.10	1.40	2.50	1.40
1,1-Dichloroethene	ug/L	7	0.62 I	1.20	2.40	0.71 I
1,1-Dichloropropene	ug/L	--	0.31 U	0.31 U	0.31 U	0.31 U
1,2,3-Trichlorobenzene	ug/L	70	0.77 U	0.77 U	0.77 U	0.77 U
1,2,3-Trichloropropane	ug/L	0.02	0.18 U	0.18 U	0.18 U	0.18 U

Sample Name:

Sample Depth (Feet):

Aquifer Zone:

Date Collected:

Units GCTLs

12/12/11

1,4-Dioxane

ug/L

3.2

Sample Name:
 Sample Depth (Feet):
 Aquifer Zone:

Date Collected:	Units	GCTLs	12/14/11	12/14/11 - DUP
1,4-Dioxane	ug/L	3.2	210	190
1,1,1,2-Tetrachloroethane	ug/L	1.3	6.30 U	6.30 U
1,1,1-Trichloroethane	ug/L	200	4.60 U	4.60 U
1,1,2,2-Tetrachloroethane	ug/L	0.2	1.50 U	1.50 U
1,1,2-Trichloroethane	ug/L	5	4.70 U	4.70 U
1,1-Dichloroethane	ug/L	70	33	20
1,1-Dichloroethene	ug/L	7	130	99
1,1-Dichloropropene	ug/L	--	3.10 U	3.10 U
1,2,3-Trichlorobenzene	ug/L	70	7.70 U	7.70 U
1,2,3-Trichloropropane	ug/L	0.02	1.80 U	1.80 U
1,2,4-Trichlorobenzene	ug/L	70	5.80 U	5.80 U
1,2,4-Trichloropropane	ug/L	10	8.60 U	8.60 U
1,2-Dibromo-3-Chloropropane	ug/L	0.49	1.00 U	1.00 U
1,2-Dibromoethane	ug/L	0.02	5.00 U	5.00 U
1,2-Dichlorobenzene	ug/L	600	4.40 U	4.40 U
1,2-Dichloroethane	ug/L	3	5.70 U	5.70 U
1,2-Dichloropropane	ug/L	5	5.20 U	5.20 U
1,3,5-Trimethylbenzene	ug/L	10	5.40 U	5.40 U
1,3-Dichlorobenzene	ug/L	210	6.40 U	6.40 U
1,3-Dichloropropane	ug/L	--	3.90 U	3.90 U
1,4-Dichlorobenzene	ug/L	76	5.20 U	5.20 U
2,2-Dichloropropane	ug/L	--	3.60 U	3.60 U
2-Butanone	ug/L	4,200	84 U	84 U
2-Chlorotoluene	ug/L	140	6.50 U	6.50 U
2-Hexanone	ug/L	280	5.20 U	5.20 U
4-Chlorotoluene	ug/L	140	6.50 U	6.50 U
4-Isopropyl Toluene	ug/L	--	5U	4.20 U