Lockheed Martin Space Quality Clauses

Lockheed Martin

Quality C lauses

Q-Code	QI D	Title	Long -Text
QUALITY MANAGEMENT SYSTEMS			
QAQC02	1	QMS ² QAQC02 QUALITY SYSTEM DESIGN	Quality Assurance in Design/Development, Production, Installation, and Servicing; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM. A Manufacturer declaring system compliance to AS9100 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System w

QQD4K3	Q	QUALITY PROGRAM REQUIREMENTS (ANSI/NCSL Z540.1) 7 K H & R Q W U D F W R U ¶ V & D O L E U D W L R Q 6 \ V W H P V K D O O F R Q I R U P W R

QTP	Q	PRODUCT ASSURANCE OD63425 APPLIES	Active Supplier and supplier's subtiers shall comply with the requirements of the current issue of OD63425 for all materials and processes specified in design disclosure called out in this purchase order or subcontract. Requests for changes to OD63425 to add or modify substitutions shall be submitted to LM subcontracts via a Supplier (Supplier) Request for Information or Change (VRIC) in accordance with A689426.
QEDSS	Q	ELECTRONIC DATA SUPPLIER SUBMITTAL	All supplier documentation must be submitted electronically to LM Space using the Electronic Data Supplier Submittal (EDSS) system. EDSS is a proven data storage and retrieval system used by LM Space to provide secure, two-factor authentication storage and retrieval of supplier data. Supplier access to the EDSS tool is achieved by using ³$FFHVV/0´ Supplier must contact the LM Space Supply Chain Quality Assurance EDSS sponsor or their LM Space *OREDO 6XSSO\ &KDLQ UHSUHVHQWDWLYH IRU KHOS VXSSRUW R EDSS tool. Send Email to EDSS Resource Account: wgc-edss.fc-lmssm@lmco.com to contact EDSS sponsor. EDSS training material can be found: https://www.lockhe

-

			The Contractor shall insert the substance of this clause, including this sentence, in all lower-tier purchase orders for work performed under this Purchase Order.
QSPS	Q	SPECIAL PROCESS APPROVAL AND CERTIFICATION	

Q1Z	Q	SUPPLIER NON-CONFORMANCE REQUIREMENT INSTRUCTIONS	Submit the following to LM: 1.Proposed changes to LM-approved technical, supplier configuration or V X S S O L H U S U R F H V V U H T X L U H P H Q W V 0 D W H U L D O S D U W V R U D requirements via Supplier Request for Information or Change (VRIC). A Subcontract or Purchase Order Change Notice will list each LM-approved change and/or LM Material Review Board action(s).
Q3Z	Q	6 8 3 3 / , (5 ³ 5 (') / $ * ´ 7 , 0 (/ < FAILURE REPORTING	Report Acceptance, Qualification and/or 5 H O L D E L O L W \ 7 H V W I D L O X U H V R I G H O L Y 3 U R F X U H P H Q W 5 H S U H V H Q W D W L Y H Y L D D Y H U L I L D E O H P H W K R G Z configuration shall not be disturbed until the failure is verified or until directed by LM. Written notification,

· And it is:

· Reference to previous NDI/NDT reports for repair/rework if applicable;
· Reference to attached recordings i.e., films or photographs if applicable; A record of the procedures or techniques used and actual results shall remain on file for at least five years after shipment to Customer and shall be furnished to Customer upon request. These records shall include all information required in the previous paragraph as well as acceptance / rejection criteria, and related test instrument data used in the

QML	Q	RADIATION LOT ACCEPTANCE TEST	Supplier must accomplish Radiation Lot Acceptance Test (RLAT) testing of items delivered under this PO.
QQTS	Q		Particle Impact Noise Detection Testing (PIND) Devices listed in this order shall be 100% Particle Impact Noise Detection (PIND)-tested per:
		PIND TEST REQUIRED	

QQK	Q	ABBREVIATED RAW MATERIAL CERT	Hardware delivered per this order shall be traceable to the raw material used for manufacture by source (lot, batch or heat number, material type, specification, applicable revision letter or number and records of acceptance).The lot identifier shall be recorded on all certificates and packages for this order.
QSN	Q	Data required with shipment	Drawings, sketches, and specifications sufficient to inspect and/or test this material shall accompany each shipment under this contract.
QTD1			

			time the articles or materials are ready for inspection or test. The Organization shall make available to the PQAR all applicable drawings, specifications, procedures, V W D W H P H Q W V R I Z R U N, test software, and changes thereto, related inspection and/or test equipment, and such other information as may be required to satisfactorily perform the inspections and tests required under this Order.
QAQC15	Q	AQC15 FIRST ARTICLE INSPECTION	Organization is required to perform 100 percent inspection and record the attributes for the first article of this Contract / Purchase Order, and shall be in accordance with AS9100 and AS9102. If the deliverable is an assembly, this inspection shall also include all of the piece parts that make up the assembly. The inspection records and data shall be per AS9102 and shall identify each characteristic and feature required by design data, the allowable tolerance limits, and the actual dimension measured as objective evidence that each F K D U D F W H U L V W L F D Q G I H D W X U H K D V E H H Q L Q V S H F W H G D Q G D F function. When testing is required, the parameters and results of the test shall be recorded in the same P D Q Q H U 7 K H) L U V W $ U W L F O H , Q V S H F W L R Q 5 H S R U W P X V W V K R Z quality assurance representative. The First Article(s) shall be produced on production equipment and using processes which will be utilized on production runs. Additionally, the Organization shall perform additionallt artAele(s I5(z)ection and sham -7(i)5(r4(i)5(r)-13(s)-5(

QPWB3	Q	PWB CONFORMANCE COUPON INSPE

			The organization must specify the handling and shipping methods that ensure proper and on-time delivery without damage to the product. The organization shall ensure that special labeling requirements shall also be listed in the appropriate shipping documents and on each package.
QAQC29	Q	AQC29 ESD PROTECTION PROGRAM AND PACKAGING	The organization shall document and implement an ESD Control Program in accordance with ANSI/ESD S20.20, ESD Association Standard for the Development of an Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment (Excluding Electrically Initiated Explosive Devices). Parts must be properly packaged and identified as required in ANSI/ESD-S20.20. All goods will be placed in conductive or static-dissipative packages, tubes, carriers, conductive bags, etc., for shipment. The packaging must be clearly labeled to indicate that it contains electrostatic sensitive goods. Electrical parts that may be used or shipped in conjunction with ESD sensitive parts shall be treated as ESD sensitive.
QBRCD	Q	BARCODE LABEL REQUIRED	Barcoded labels are required and must be completed through the Ship-To LMC module in LMP2P, accessible through Exostar at http://www.myexostar.com; Exostar Helpdesk: 703-793-7800. For information on how to use the ship-to-module, view the downloadable guide here. For suppliers approved to Q4M (SQDANQ4M00), refer to the Q4M definition located in the 253-01 document for specific ship-to-module directions.
QC2	Q	TIME AND TEMPERATURE SENSITIVE MATERIAL	Time and temperature storage conditions must be attached to the packing sheet and accompany each shipment to be delivered hereunder. The outer most shipping box must be marked to indicate "Time and Temperature Sensitive Material" next to the shipping label. The time and temperature sensitive label text font size must be minimum one inch high, not to exceed six inches high. *Note: If packaging dimensions do not allow for minimum one-inch text, apply largest text possible.
QC7	Q	SENSITIVE FLIGHT/GROUND EQUIPMENT	SENSITIVE FLIGHT/GROUND EQUIPMENT, HANDLE WITH EXTREME CARE.
QC8	Q	ELECTROSTATIC SENSITIVE DEVICES	

			continued traceability of serial numbers or lot number identification through all phases of manufacture, commencing with the raw material and continuing through final acceptance of the end item. Records held for the required retention period (ten years) shall not be destroyed without Customer's written concurrence.
QAQC27	Q	AQC27 EEE PARTS DATE OF MANUFACTURE	All Electrical, Electronic or Electromechanical (EEE) parts procured from the organization or its suppliers shall have been manufactured within three (3) years from the delivery date for Plastic Encapsulated Microcircuits (PEMs) and five (5) years for all others. This shall include all sub-assemblies of the article being procured. Any deviation from this requirement shall be in the form of a written authorization from the procuring agency, and the authorization shall be included with each shipment.
QAQC28	Q	AQC28 EEE SINGLE LOT/DATE CODE	The full quantity of date code controlled Electrical, Electronic, and Electromechanical (EEE) parts, each part number, provided under this Purchase Order / Contract must have a single lot-date code. The organization Z L O O R E W D L Q W K H Z U L W W H Q D S S U R Y D O R I W K H F X V W R P H U ¶ V D goods that do not meet this single lot / date code requirement. , Q W K H H Y H Q W W K D W W K H F X V W R P H U ¶ V S X U F K D V L Q J U H S U H V H Q date codes, the organization shall provide a copy of the written authorization with the shipping document. When mixed lot / date codes are authorized, the shipping document shall list individual lot / date codes and quantity. Multiple lot / date codes shall not be co-mingled. In addition, the individual part containers shall be marked with the quantity and lot / date code.
QC1	Q	AGE CONTROL OF RUBBER GOODS	Rubber goods delivered under this Contract shall be identified with cure date or manufacture date, as applicable, and/or shelf life information in accordance with the applicable material specification. Age sensitive rubber goods shall be individually packaged and delivered within 6 months of the cure date or manufacture date.
QDJ	Q	LOT DATE CODE TRACEABILITY	Items delivered under this order shall be traceable to the individual wafer, assembly qualification, and/or test lot(s). Individual traceable products shall be lot-date-coded.
QDL	Q	LOT DATE CODE ONE YEAR	Supplier shall, for each part identity, provide all parts with a lot-date-code no more than one (1) year prior to the date of the Purchase Order to LM.
QDM	Q	LOT DATE CODE TWO YEARS	Supplier shall, for each part identity, provide all parts with a lot-date-code no more than two (2) years prior to the date of the Purchase Order to LM
QM12	Q	MATERIAL TRACEABILITY FOR BUILD TO9.89 52(he)4( )	

			IDENTIFICATION Design specifications, source control drawings, and other procurement documentation shall include provisions for identification of materials, parts, and assemblies through one or both of the following procedures: A) Serialization of individual elements, such as parts, boards, modules, assemblies, etc., as appropriate with each element identified by a unique number or code. B) Lot/group identification when processing impacts a common characteristic within the lot (e.g., mix number, heat number, wire spool, etc.) with each lot identified by a unique number or code. RECORDS The contractor shall maintain fabrication records which summarize the identification of elements within an assembly. Records, shall include name of supplier, date of manufacture, screening date and other pertinent information.
QM17	Q	SINGLE DATE/LOT CODE	Parts delivered against this Contract shall be from a single date/lot code. The lot identifier shall be recorded on all certificates and packages for this order. Authorization for shipments with multiple date/lot codes must be pre-coordinated with your Lockheed Martin Buyer and documented on the PO/subcontract. When mixed date/lot codes are authorized, the shipping document shall list individual date/lot codes and quantity. Multiple lot/date codes shall not be co-mingled.
QT12	Q	SUPPLIER RETAIN TEST DOCUMENTATION TWELVE YEARS	Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of twelve (12) years from the date of delivery.
QT7	Q	SUPPLIER RETAIN TEST DOCUMENTATION SEVEN YEARS	Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of seven (7) years from the date of delivery.
QT9	Q	PWB PROCUREMENT DOCUMENT REQUIREMENTS	Printed wiring boards shall meet the requirements and Engineering Purchasing Specification(s) listed in the

PROGRAM SPECIFIC			
GPS3			
QSQP	Q	GPS3 QUALITY ASSURANCE PLAN	Supplier must comply with the requirements of the GPS III Subcontract Quality Assurance Plan 3GPS-PN-07-0602.
OPOC			
QD13	Q	MANNED SPACE FLIGHT	Articles ordered in this contract are for use in Manned Space Flight. Materials manufacturing, and workmanship of highest quality standards are essential to astronaut safety. If you are able to supply the desired items with a quality which is higher than that of the items specified or proposed, you are requested to bring this fact to the immediate attention of the purchaser via a LMSSC Vendor Request for Information R U &K D Q J H 95,& R U V H O O H U V ¶ F R Q W U D F W O H U a document LMSSC V U H V S R Q V H S U L R U W R V K L S P H Q W R I W K H P D W H U L D O $V R I R E M Conformance represents the materials supplied comply to this clause. This clause will be inserted in all subcontracts and purchase

QZ12	Q	SMP010741U05	SMP010741U05, Product Assurance Quality Requirements for FBM Hardware - Updated
QZ120	Q	A267976	A267976, PAWS 21 - Hi-Rel Test Data and Lot Acceptance Test (LAT) Sample Control
QZ121	Q	A267987	A267987, PAWS 37 - Process Charts & Flow Diagrams
QZ122	Q	A267991	A267991, PAWS 41 - Test Report Requirements for hardware Other Than Pyrotechnics
QZ125	Q	A268005	A268005, PAWS 56 - Retention of Product Quality Records
QZ126	Q	A268008	A268008, PAWS 62 - Product Assurance Documentation
QZ127	Q	A268012	A268012, PAWS 64 - Product Assurance Documentation - Production
QZ128	Q	A268016	A268016, PAWS 61 - Supplier Dispostion of Nonconforming Material
QZ13	Q	SMP010743U05	SMP010743U05, Product Assurance Quality Requirements (PAQR) for PBCS Coupling and Seal - Updated
QZ131	Q	A268035	A268035, PAWS 67 - Tool Control
QZ132	Q	A268043	A268043, PAWS 77 -

			new FAI by submitting a Vendor Request for Information or Change (VRIC) in accordance with LMSSC/A689426. The supplier must not produce any production hardware until the LMSSC response has been issued.
QZ153	Q	A268127	A268127, PAWS 65 - Traceability/Lot Control Records (Functional Piece Parts)
QZ154	Q	A268128	A268128, PAWS 75 - Operating Time/Cycle Record (OT/CR)
QZ155	Q	A268130	A268130, PAWS 93 - Failure Modes and Effects Analysis (FMEA)
QZ156	Q	A268132	A268132, PAWS 32 - Traceability of Raw Materials in Non-Serialized Hardware Items
QZ157	Q	A268133	A268133, PAWS 33 - Reliability Test Data (RTD) for Propulsion and Ordnance Hardware
QZ16	Q	SMP010781U05NC	SMP010781U05NC , Letter of Promulgation and Implementation of LMSSC SMP010781U05 Rev NC, ADDENDUM (EXCEPTIONS) TO LMSSC/ ADDENDUM 2 of D915700
QZ160	Q	A268137	A268137, PAWS 47 - Process & Material Change Control in Non-Serialized Items
QZ161	Q	A268140	A268140, PAWS 30 - Variables Test Data (VTD)

QZ279	Q	D941155	D941155, MOU Btwn LMSC and Loral Data System/Conic Pertaining to Procurement Rqmts for Telemetry Transmitters & Destruct RFU(s)
QZ28	Q	F120030	F120030, Product Assurance Quality Requirements for Production Software Control
QZ280	Q	D941158	D941158, Information & Clarification for Phase I and Phase II Proofing of Supplier Test Station
QZ281	Q	D941159	D941159, Memo of Agreement Btwn LMSC and Ford Aerospace Communication Corp. Pertaining to Procurement Rqmts for LMSC D915710A STPM Rqmts
QZ282	Q	D941160	D941160, Memo of Agreement Btwn LMSC and ITT Cannon electric Co., Pertaining to Acceptance Testing of A3TK Umbilical Plug Refurbishment
QZ283	Q	D941161	D941161, Memo of Agreement Btwn LMSC/MSD and Kaman Instrumentation Corp.
QZ284	Q	D941164	D941164, Memo of Understanding D5 Supplier Direct Ship Hardware List
QZ285	Q	D941165	D941165, Direct Ship of Missile Hardware to SWFLANT Plan
QZ286	Q	D988446CB AD	D988446BC, Addendum (Exceptions) to LMSC/D824156C Applicable to Contracts Btwn LMSC MSD & Genicom Corp., Pertaining to STPM Rqmts for Trident II (D5) Relays
QZ287	Q	D990249B	D990249B, Memo of Understanding Btwn LMSC and ARC Pertaining to Procurement Rqmts for D5 Nose Fairing Jettison Motor PBCS Gas Generator
QZ30	Q	F120040	F120040, Letter of Agreement Btwn LMSC & D5 Multilayer Board Suppliers Pertaining to STPM Rqmts for Missile System Hardware
QZ300	Q	D824158-15	D824158-15, DRD - FTS Filter Crystal Assembly
QZ302	Q		

QZ319	Q	SMP010786U06	SMP010786U06 - Product Assurance Quality Rqmts for Calibration/Verification Maintenance of Test Equipment
QZ32	Q	F120055	F120055, PAWS 48 - Manufacturing Supplier Control of Pre-Released Hardware
QZ323	Q	SMP010716U09A	SMP010716U09A - Subcontractor Procurement Requirements, for D5 Life Extension Heritage Resistor, Magnetics, Relays Selective Suppliers.
QZ33	Q	F120056	F120056, PAWS 94 - Advanced Procurement Program LMSC

REVISION LOG

Date	Change	Details
10/17/2006	Added: QZ299	SMP010700U04 ±FBM program specific
	Added: QD4K6	Test Facility Requirements ±requested by Palo Alto, CA
	Added: QTC5	Authorized Dealer Dist ±OEM ±requested by Special Programs Sunnyvale, CA
	Added: QZ304	SMP012701U05 ±FBM program specific
	Added: QZ305	SMP010704U05A ±FBM program specific
	Added: QZ306	SMP010761U05 ±FBM program specific
	Added: QZ307	SMP010782U05-24 ±FBM program specific
	Added: QZ308	SMP010782U05-21 ±FBM program specific
	Added: QZ309	SMP 010782U05-19 ±FBM program specific
	Updated: QN5	Updated F120061 to Rev E, updated F120172 to Rev C
	Updated: QT8	Updated to reflect Parts, Materials & Processes
	Updated: QASLA	Updated to reflect PMP
	Updated: QZ241	Updated to reflect D915701 instead of D915700
	Edited: QZ94	Previously was not a complete sentence ±FBM program specific
11/16/2006	Added: QT4E	Per FBM Request
	Added: QZ310	SMP010789U06 ±FBM program specific
	Added: QZ311	SMP010790U06 ±FBM program specific
	Updated: QYX	Per FBM Request
11/21/2006	Updated: QYX	5HPRYH ³RQVLWH YDOLGDWLRQ UHTXLUHG´ ±FBM request
	Updated: QYW	5HPRYHG ³RQVLWH YDOLGDWLRQ UHTXLUHG´ DQG D accredited registrar will be accepted. Contractor declaring system compliance to $6 ZLWK QR IRUPDO DFFUHGLWHG ±FBM request
	Updated: QZ287	Updated to reflect Rev B ±FBM request
	Updated: QASLB	Added reference to PMP Database
1/31/2007	Added: QZ312, QZ313, QZ314, QZ315	Per FBM Request
	Added: Q7Z	Lot Date Code 10 years
3/28/2007		

	Updated: QZ92	Per FBM Request
6/14/2007	Edited: QCF	Edit to wording per FBM Request
6/28/2007	Edited: QCF	Returned to original wording
8/20/2007	Update: QTP	Removed reference to Addendum 1 and 2
10/31/2007	Added: QTD2	Per FBM Request
1/31/2008	Added: QZ317	SMP010708U07 ±

3/g /GS8 g

	Updated: QZ320 Added: Q4M	QZ320 updated to replace SMP010762U08 with SMP10764U09 (per FBM request) Q4M code added for supplier requirement clarification. Q4M is NOT to be flowed on PO; the sole purpose is to provide information to suppliers that are Q4M approved. *An additional update to the doc was made to re P R Y L G \ V W H P V & R G H Q \ ´ Lockheed Martin Space references.
06/01/2020	Updated: QC2	QC2 updated to require a minimum ´ I R Q W V L] H D Q G S O D F H P H Q W temperature sensitive label.
07/13/2020	Updated: QZ299 Edited: QOPR	